DN-PCI/331

Intelligent PCI-DeviceNet Interface

4

- Two intelligent DeviceNet interfaces at one PCI board
- On board microcontroller for local data management
- Local master/scanner firmware relieves the user dealing with the low-level DeviceNet protocol
- DeviceNet interface acc. to DeviceNet specification 2.0
- · Common API approved at various operating systems
- · Dynamical firmware updates possible by download

Powerful DeviceNet Interfaces for PCs


The module DN-PCI/331 is a PC board designed for the PCI bus. It uses a 68331 microcontroller, which cares for the local DeviceNet data management. Data is stored in the local SRAM.

The DeviceNet interface of the board meets the requirements of the DeviceNet specification 2.0. The interface is electrically isolated from the other potentials by means of optocouplers.



Software Support

The firmware for the master/scanner is stored locally in the Flash EPROM and can be dynamically updated by download. Drivers are available for Windows 2000 / XP / 7 (for Windows XP / 7 also as 64-bit version) and VxWorks. Please contact our sales team sales @esd.eu.



Technical Specifications:

PCI Interface and Microcontroller:

PCI bridge	PLX PCI9052
Microcontroller	68331
Memory equipped	128 k x 16 bit SRAM, 128 k x 8 bit Flash EPROM
DeviceNet:	
DeviceNet Std.	Interface acc. to DeviceNet specification 2.0
Bit rate	125 kbit/s, 250 kbit/s and 500 kbit/s
Bit rate CAN controller	125 kbit/s, 250 kbit/s and 500 kbit/s SJA1000, according to ISO 11898-1
2.1.410	,

General:	
Ambient temperature	0°C+50°C
Humidity	Max. 90 %, non-condensing
Supply voltage	5 VDC via PCI bus, 24 VDC for bus driver section via DN physical layer
DeviceNet connector	5-pole combicon-style connector

Order Information:		
Hardware	Order No.	
DN-PCI/331-1	PCI board with one DeviceNet channel on board	C.2017.02
DN-PCI/331-2	PCI board with two DeviceNet channels on board	C.2017.04
Software Support		
DN-PCI/331- Windows	Windows device driver	C.2017.11